

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		Control\$6 same display\$6 and receive\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receive \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (input and output) or (I/O) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:18
L1	14	Remote same control\$6 and reference same signal \$6 and compare\$ and generat\$6 same mode\$1 adj signal\$6 and (computer or processor or cpu) same interpret\$6 same mode\$1 same signal \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 21:43
L2	15	Remote same control\$6 and (reference same signal \$6 or identify\$6 or password \$6) and compare\$ and generat\$6 same mode\$1 adj signal\$6 and (computer or processor or cpu) same interpret\$6 same mode\$1 same signal \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 21:49
L3	203629	remote adj control\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 21:56
L4	398	remote adj control\$6 and (ID or identify\$6 or reference adj signal\$6 or password\$6) adj compar \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 21:58
L5	35	remote adj control\$6 and (ID or identify\$6 or reference adj signal\$6 or password\$6) adj compar \$6 and set\$6 adj top adj box\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 21:59

L6	28	remote adj control\$6 and (ID or identify\$6 or reference adj signal\$6 or password\$6) adj compar \$6 and set\$6 adj top adj box\$6 and mode\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 22:00
L7	10	remote adj control\$6 and (ID or identify\$6 or reference adj signal\$6 or password\$6) adj compar \$6 and set\$6 adj top adj box\$6 and mode\$1 same second	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 22:00
L8	7	remote adj control\$6 and (ID or identify\$6 or reference adj signal\$6 or password\$6) adj compar \$6 and set\$6 adj top adj box\$6 and mode\$1 same second and activate\$6 same (TV or television or appliance or display)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 22:02
L9	0	remote adj control\$6 and (ID or identify\$6 or reference adj signal\$6 or password\$6) adj compar \$6 and set\$6 adj top adj box\$6 and "345"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 22:32
L10	13	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) same input\$6 adj device \$1 and compar\$6 and activat\$6 adj input\$6 adj device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 23:01
L11	8	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) same input\$6 same device \$1 and compar\$6 and activat\$6 adj input\$6 adj device and "345"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 23:07

S1	9213	second same opaque same layer i and top and first same tamper-proof same layer\$6 and print\$6 same data and rais\$6 same tactile same data and indent\$6 same tactile same data and conduct\$6 same game\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:30
S2	9213	second same opaque same layer i and top and first same tamper-proof same layer\$6 and print\$6 same data and rais\$6 same tactile same data and indent\$6 same tactile same data and conduct\$6 same game\$6 and provid \$6 same scratch\$6 same media and tactile same data same pattern\$6 and disclose\$6 and game same (outcome or result) and user and verify\$6 same win\$6 and base\$6 same validat\$6 and compari\$6 same optical same evaluat\$6 same print \$6 same data and tactile same evaluat\$6 same rais \$6 same data and indent \$6 same tactile same data same pattern\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:30
S3	1	second same opaque same layer\$6 and top and first same tamper-proof same layer\$6 and print\$6 same data and rais\$6 same tactile same data and indent\$6 same tactile same data and conduct\$6 same game\$6 and provid \$6 same scratch\$6 same media and tactile same data same pattern\$6 and disclose\$6 and game same (outcome or result) and user and verify\$6 same win\$6 and base\$6 same validat\$6 and compari\$6 same optical same evaluat\$6 same print \$6 same data and tactile same evaluat\$6 same rais \$6 same data and indent \$6 same tactile same data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:31

		same pattern\$6				
S4	151	scratch\$6 same media and tactile same data same pattern\$6 and provide\$6 and information and user and scratch\$6 same region \$1 and plural\$6 same layer \$6 and conceal\$6 t and tactile same data same pattern\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:34
S5	1	scratch\$6 same media and tactile same data same pattern\$6 and provide\$6 and information and user and scratch\$6 same region \$1 and plural\$6 same layer \$6 and conceal\$6 and tactile same data same pattern\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:34
S6	1	scratch\$6 same media and tactile same data same pattern\$6 and provide\$6 and information and user and scratch\$6 same region \$1 and plural\$6 same layer \$6 and tactile same data same pattern\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:37
S7	1	scratch\$6 same medi\$6 and tactile same data same pattern\$6 and provide\$6 and information and user and scratch\$6 same region\$1 and plural \$6 same layer\$6 and tactile same data same pattern\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:37
S8	1	tactile same data same pattern\$6 and provide\$6 and information and user and scratch\$6 same region \$1 and plural\$6 same layer \$6 and tactile same data same pattern\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:38
S9	2	tactile same data same pattern\$6 and provide\$6 and information and user and scratch\$6 same region \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:38
S10	7	tactile same data same pattern\$6 and provide\$6 and information and user and scratch\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:39

S11	7	tactile same data same pattern\$6 and provide\$6 and information and scratch\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:40
S12	18	tactile same data and pattern\$6 and provide\$6 and information and scratch\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:41
S13	4	(Tactile and scratch and card and apparatus) and "273"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:43
S14	5	(Tactile and scratch\$6 and card and layer\$6) and "273"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:48
S15	3	(Tactile and scratch\$6 and card and layer\$6 and pattern\$6) and "273"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:49
S16	16078	display\$6 and receiv\$6 and video same signal\$6 same computer and picture \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 09:25
S17	6947	display\$6 and receiv\$6 and video same signal\$6 same computer and picture \$6 and input\$6 same signal\$6 and (processor or control\$6 or micro-process \$6 or cpu) same convert \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 09:25
S18	3308	display\$6 and receiv\$6 and video same signal\$6 same computer and picture \$6 and input\$6 same signal\$6 and (processor or control\$6 or micro-process \$6 or cpu) same convert \$6 and output\$6 same signal\$6 and data same signal\$6 same (processor or control\$6 or micro-process\$6 or cpu) and (connect\$6 and between and computer and display \$6) and control\$6 same transmit\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 09:26

S19	5	display\$6 and receiv\$6 and video same signal\$6 same computer and picture\$6 and input\$6 same signal\$6 and (processor or control\$6 or micro-process\$6 or cpu) same convert\$6 and output\$6 same signal\$6 and data same signal\$6 same (processor or control\$6 or micro-process\$6 or cpu) and (connect\$6 and between and computer and display\$6) and control\$6 same transmit\$6 and data same interface\$6 and generat\$6 and activat\$6 same control\$6 same signal\$6 and output\$6 and (input\$6 same signal\$6 and initiate\$6 and increase\$6 and consump\$6 same energy and external\$6 and apparatus and coupl\$6 and input\$6 and output\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 09:27
S20	5	display\$6 same system and receiv\$6 and video same signal\$6 same computer and picture\$6 and input\$6 same signal\$6 and (processor or control\$6 or micro-process\$6 or cpu) same convert\$6 and output\$6 same signal\$6 and data same signal\$6 same (processor or control\$6 or micro-process\$6 or cpu) and (connect\$6 and between and computer and display\$6) and control\$6 same transmit\$6 and data same interface\$6 and generat\$6 and activat\$6 same control\$6 same signal\$6 and output\$6 and (input\$6 same signal\$6 and initiate\$6 and increase\$6 and consump\$6 same energy and external\$6 and apparatus and coupl\$6 and input\$6 and output\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 14:14

S21	2	"6,850252".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 14:31
S23	1	"6,850252".pn. and "18"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 14:32
S24	1	"6,850252".pn. and figure same "18"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 14:33
S25	0	"6,850252".pn. and figure adj "18"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 14:34
S26	151932	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:16
S27	39996	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:16
S28	10609	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:17
S29	4348	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:18

S30	1054	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:19
S31	267	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:19
S32	27	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:20

S33	1	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and activat\$6 same external\$6 same apparatus and regulate\$6 same energy same consumpt\$6	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:21
S34	12	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:24

S35	11	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:24
S36	1	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:24

S37	1	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 23:25
S38	0	"6,859,882".pn. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:17
S39	2	"6,859,882".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:18

S40	54	("3275868" "4279020" "4316247" "4317180" "4365290" "4381552" "4398192" "4463440" "4479191" "4509148" "4510398" "4538231" "4545030" "4570219" "4635195" "4667289" "4677566" "4698748" "4766567" "4780843" "4809163" "4823292" "4835681" "4841440" "4881205" "4907183" "4922450" "4947180" "4963769" "4973900" "4980836" "4991129" "4996706" "5021679" "5025387" "5041964" "5083266" "5119377" "5123107" "5129091" "5151992" "5167024" "5175845" "5201059" "5218704" "5222239" "5247164" "5247213" "5247655" "5249298" "5251320" "5396635" "6397340").FN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:18
S41	0	("3275868" "4279020" "4316247" "4317180" "4365290" "4381552" "4398192" "4463440" "4479191" "4509148" "4510398" "4538231" "4545030" "4570219" "4635195" "4667289" "4677566" "4698748" "4766567" "4780843" "4809163" "4823292" "4835681" "4841440" "4881205" "4907183" "4922450" "4947180" "4963769" "4973900" "4980836" "4991129" "4996706" "5021679" "5025387" "5041964" "5083266" "5119377" "5123107" "5129091" "5151992" "5167024" "5175845" "5201059" "5218704" "5222239" "5247164" "5247213" "5247655" "5249298" "5251320" "5396635" "6397340").FN. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:18

		(mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6				
S42	38	("6859882").URPN.	USPAT	OR	OFF	2008/05/11 00:19
S43	0	("6859882").URPN. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	USPAT	OR	OFF	2008/05/11 00:19
S44	2	"20010055029"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:20
S45	1	("2001/0055029").URPN.	USPAT	OR	OFF	2008/05/11 00:21

S46	0	("2001/0055029").URPN. and Control\$6 same display\$6 and receiv\$6 same input\$6 same signal \$6 and (mouse or keyboard) same input\$6 and receiv\$6 same video same signal\$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/ O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert\$6 same input\$6 same signal \$6 and convert\$6 same signal\$6 and identif\$6 same computer and analy \$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	USPAT	OR	OFF	2008/05/11 00:21
S47	0	("2001/0055029").URPN. and Control\$6 same display\$6 and receiv\$6 same input\$6 same signal \$6 and (mouse or keyboard) same input\$6 and receiv\$6 same video same signal\$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/ O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert\$6 same input\$6 same signal \$6 and convert\$6 same signal\$6 and identif\$6 same computer and analy \$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	USPAT	OR	OFF	2008/05/11 00:21

S48	0	("6859882").URPN. and Control\$6 same display\$6 and receiv\$6 same input\$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv\$6 same video same signal\$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert\$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif\$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select\$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	USPAT	OR	OFF	2008/05/11 00:22
S49	0	"20010055029" and Control\$6 same display\$6 and receiv\$6 same input\$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv\$6 same video same signal\$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert\$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif\$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select\$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:22

S50	0	"20010055029" and Control\$6 same display\$6 and receive\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receive \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identify \$6 same computer and analyze\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determine\$6 and shut\$6 same down	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:22
S51	0	"20010055029" and Control\$6 same display\$6 and receive\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receive \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identify \$6 same computer and analyze\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determine\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:22
S52	2	"4,251,759".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:23

S53	0	"4,251,759".pn. and Control\$6 same display\$6 and receive\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receive \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identify \$6 same computer and analyze\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determine\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:24
S54	9	("2718631" "3411055" "3732477" "3809985" "3845375" "4025832" "4063112").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:24
S55	0	("2718631" "3411055" "3732477" "3809985" "3845375" "4025832" "4063112").PN. and Control\$6 same display\$6 and receive\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receive \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identify \$6 same computer and analyze\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determine\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:25

SS6	0	"4,251,759".pn. and shut \$6 same down and regulat \$6 same energy\$6 same consum\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:25
SS7	2	("4251759").URPN.	USPAT	OR	OFF	2008/05/11 00:26
SS8	0	("4251759").URPN. and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	USPAT	OR	OFF	2008/05/11 00:26
SS9	2	"6,121,962".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:28
SS0	0	"6,121,962".pn. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:28
SS1	3	("5752044" "5875345" "5931948").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:29

S62	0	("5752044" "5875345" "5931948").PN. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:29
S63	3	("5752044" "5875345" "5931948").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:30
S64	0	("5752044" "5875345" "5931948").PN. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/05/11 00:30

S65	17	("6121962").URPN.	USPAT	OR	OFF	2008/05/11 00:30
S66	0	("6121962").URPN. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	USPAT	OR	OFF	2008/05/11 00:31
S67	0	"6,121,962".pn. and Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6 and receiv \$6 same video same signal \$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert \$6 same input\$6 same signal\$6 and convert\$6 same signal\$6 and identif \$6 same computer and analy\$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:31

S68	2	"5931948".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:32
S69	0	"5931948".pn. and Control \$6 same display\$6 and receiv\$6 same input\$6 same signal\$6 and (mouse or keyboard) same input \$6 and receiv\$6 same video same signal\$6 and transmit\$6 same output\$6 same signal\$6 and (((input and output) or (I/ O)) same connect\$6) and select\$6 and first same mode\$1 and second same mode\$1 and convert\$6 same input\$6 same signal \$6 and convert\$6 same signal\$6 and identif\$6 same computer and analy \$6 and input\$6 same signal\$6 same second same mode\$1 same select \$6 and determin\$6 and shut\$6 same down and regulat\$6 and energy\$6 and consum\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:32
S70	10470	computer same system same receiv\$6 same input \$6 same signal\$6 and (mouse or keyboard) same input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:33
S71	6084	computer same system same receiv\$6 same input \$6 same signal\$6 and (mouse and keyboard) same input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:34
S72	2923	computer adj system same receiv\$6 same input \$6 same signal\$6 and (mouse and keyboard) same input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:34
S73	56	computer adj system adj receiv\$6 same input\$6 same signal\$6 and (mouse and keyboard) same input \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:34

S74	8	computer adj system adj receiv\$6 adj input\$6 same signal\$6 and (mouse and keyboard) same input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:35
S75	2	computer adj system adj receiv\$6 adj input\$6 adj signal\$6 and (mouse and keyboard) same input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:35
S76	0	(computer or CPU or micro-processor or processor) adj receiv\$6 adj input\$6 adj signal\$6 adj (mouse and keyboard) same input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:36
S77	0	(computer or CPU or micro-processor or processor) adj receiv\$6 adj input\$6 adj (mouse and keyboard) same input \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:36
S78	10	(computer or CPU or micro-processor or processor) adj receiv\$6 adj input\$6 and (mouse and keyboard) adj input\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 00:37
S79	2	"20010055029"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 13:20
S80	146422	nakajima	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 13:42
S81	7	NAKAJIMA same TATSUYA and ONO same KENICHIRO	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 13:44
S82	6	NAKAJIMA same TATSUYA and ONO same KENICHIRO and mode\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 14:01
S83	0	NAKAJIMA same TATSUYA and ONO same KENICHIRO and shut\$6 same down same mode\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 14:23

S84	68696	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same ID or reference same signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:03
S85	0	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same ID or reference same signal) same input\$6 same device \$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:10
S86	0	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) same input\$6 same device \$1 and compar\$6 and prevent\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:11
S87	1196	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) same input\$6 same device \$1 and compar\$6 and prevent\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:12
S88	0	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) same input\$6 same device \$1 and compar\$6 and prevent\$6 same reciev\$6 same input\$6 same signal \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:14
S89	353	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) same input\$6 same device \$1 and compar\$6 and activat\$6 same input\$6 same device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:15

S90	21	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) same input\$6 same device \$1 and compar\$6 and activat\$6 adj input\$6 adj device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:16
S92	0	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) adj input\$6 adj device\$1 and compar\$6 and activat \$6 adj input\$6 adj device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:16
S93	0	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) adj input\$6 adj device\$1 and compar\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:17
S94	0	Control\$6 same display\$6 and receiv\$6 same input \$6 same signal\$6 and (store\$6 same (ID or reference) same signal) adj external same apparatus and compar\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:18
S95	58575	Input\$6 same device same mode\$1 same signal\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:20
S96	1	Input\$6 adj device adj mode\$1 adj signal\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:21
S97	919	Input\$6 adj device and generat\$6 same mode\$1 adj signal\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:22
S98	11	Input\$6 adj device and generat\$6 same mode\$1 adj signal\$6 and (computer or processor or cpu) same interpret\$6 same mode\$1 same signal \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:24

S99	20	Remote same control\$6 and generat\$6 same mode \$1 adj signal\$6 and (computer or processor or cpu) same interpret\$6 same mode\$1 same signal \$6	US-PCPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/11 15:43
-----	----	---	---	----	-----	---------------------

5/ 11/ 2008 11:17:28 PM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10032328 05-03-2008.
wsp